

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

**A. N.C.I. Servizi s.r.l. a socio unico - sezione C.I.M.A.C.
Community Identification N° 0465**

Grants:
Manufacturer
COFRA S.R.L.
VIA DELL'EURO 53-57-59
76121 BARLETTA

EU TYPE-EXAMINATION CERTIFICATE MODULE B
N° F-100-01128-18

for the following model of Personal Protective Equipment:

Design/ Article: Half-knee boot art. " NEW BARENTS - 1893"
Category of PPE: II
Additional requirements: S3 CI SRC

safety footwear for professional use according to harmonized standard (*)
EN ISO 20345:2011

Picture of the basic model



First issue date: 12/10/2018
Revision date: --
Expiry date: 12/10/2023

EU Type-Examination Certificate n. F-100-01128-18 of 12/10/2018 - Page: 1 of 3

Manufacturer's identification mark:	COFRA																																								
Classification:	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear																																								
Size range:	from 36 to 48 (french point)																																								
Identification of last:	U5805-1																																								
Manufacturing process:	Injection																																								
The footwear has a:	<table border="0"> <tr> <td>non-metallic toecap</td> <td>cod</td> <td>AAC03</td> </tr> <tr> <td>non-metallic penetration-resistant insert</td> <td>cod</td> <td>OSANW.XXX.F03</td> </tr> <tr> <td>removable insock</td> <td>cod</td> <td>SP102</td> </tr> </table>	non-metallic toecap	cod	AAC03	non-metallic penetration-resistant insert	cod	OSANW.XXX.F03	removable insock	cod	SP102																															
non-metallic toecap	cod	AAC03																																							
non-metallic penetration-resistant insert	cod	OSANW.XXX.F03																																							
removable insock	cod	SP102																																							
Additional requirements:	<p>heel area closed;</p> <p>A antistatic properties;</p> <p>E energy absorption of seat region;</p> <p>WRU water resistant upper</p> <p>CI cold insulation of sole complex;</p> <p>P penetration resistance of sole complex;</p> <p>FO fuel oil resistant outsole;</p> <p>cleated outsole.</p>																																								
Test Reports:	<p>The results of tests and examinations are contained in the following test reports:</p> <table border="0"> <tr><td>CIMAC</td><td>RP 2018\2272-7-RP-3</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018\2272-7-RP-4</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018\2272-7-RP-5</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018\2271-5-RP-3</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018\2271-5-RP-5</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018\2271-1-RP-3</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2018\2271-1-RP-5</td><td>dated</td><td>12/10/2018</td></tr> <tr><td>CIMAC</td><td>RP 2017\2005-3-RP-2</td><td>dated</td><td>02/10/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017\2005-3-RP-3</td><td>dated</td><td>02/10/2017</td></tr> <tr><td>CIMAC</td><td>RP 2017\2005-3-RP-4</td><td>dated</td><td>02/10/2017</td></tr> </table>	CIMAC	RP 2018\2272-7-RP-3	dated	12/10/2018	CIMAC	RP 2018\2272-7-RP-4	dated	12/10/2018	CIMAC	RP 2018\2272-7-RP-5	dated	12/10/2018	CIMAC	RP 2018\2271-5-RP-3	dated	12/10/2018	CIMAC	RP 2018\2271-5-RP-5	dated	12/10/2018	CIMAC	RP 2018\2271-1-RP-3	dated	12/10/2018	CIMAC	RP 2018\2271-1-RP-5	dated	12/10/2018	CIMAC	RP 2017\2005-3-RP-2	dated	02/10/2017	CIMAC	RP 2017\2005-3-RP-3	dated	02/10/2017	CIMAC	RP 2017\2005-3-RP-4	dated	02/10/2017
CIMAC	RP 2018\2272-7-RP-3	dated	12/10/2018																																						
CIMAC	RP 2018\2272-7-RP-4	dated	12/10/2018																																						
CIMAC	RP 2018\2272-7-RP-5	dated	12/10/2018																																						
CIMAC	RP 2018\2271-5-RP-3	dated	12/10/2018																																						
CIMAC	RP 2018\2271-5-RP-5	dated	12/10/2018																																						
CIMAC	RP 2018\2271-1-RP-3	dated	12/10/2018																																						
CIMAC	RP 2018\2271-1-RP-5	dated	12/10/2018																																						
CIMAC	RP 2017\2005-3-RP-2	dated	02/10/2017																																						
CIMAC	RP 2017\2005-3-RP-3	dated	02/10/2017																																						
CIMAC	RP 2017\2005-3-RP-4	dated	02/10/2017																																						
Marking	<p>The label inside the footwear shows the following information:</p> <p>CE Marking (at least 5 mm high)</p> <p>Name and postal address of the Manufacturer</p> <p>manufacturer's type designation</p> <p>the number and year of the reference European standard</p> <p>Category and additional requirements of the PPE</p> <p>Month and year of fabrication</p> <p>Size</p> <p>Batch number</p> <p>Reference of informative note</p>																																								

(*) Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

Validity conditions: This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date.
All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY".
This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.

Technical Responsible
Giuseppe Bellotti

